

Spot Light list

Product	Item Code	Base Input	Ra	Beam Angle	Color	LED	Size	Material	Power / Lumen
	HS-SL-24SMD2835-Gla	GU4 ; 12V AC DC	> 80	120°	Yellow Warm White Pure White Cold White	24 x 2835 Epistar LEDs	∅ 35 X 41	Glass body+ Glass cover	3W 300-320 lm
	HS-MR11-3WCOB-Alu	GU4 ; 12V AC DC	> 80	60°	Yellow Warm White Pure White Cold White	3W COB LEDs	∅ 35 X 41	ALU body+ Glass cover	3W 280-300 lm
	HS-SL GU10/AR111 COB- 15W	GU10/GU53 85-265V AC ; 12V AC DC	>80	60°	Yellow Warm White Pure White Cold White	15W COB Epistar LEDs	∅ 110 X 70	internal Alu.+ External ABS-- mainly from Egg Shell	15W, 1200- 1400 lm
	HS-SL GU10/AR111 COB- 13W Dimmable	GU10/GU53 85-265V AC ; 12V AC DC	>80	60°	Yellow Warm White Pure White Cold White	13W COB Epistar LEDs	∅ 110 X 70	internal Alu.+ External ABS-- mainly from Egg Shell	13W, 1000- 1200 lm
	HS-SL GU10/AR111 COB- 12W	GU10/GU53 85-265V AC ; 12V AC DC	>80	60°	Yellow Warm White Pure White Cold White	12W COB Epistar LEDs	∅ 110 X 70	internal Alu.+ External ABS-- mainly from Egg Shell	12W, 900- 1100 lm
	HS-SL-5SMD 0.6w2835-ABS- 3w	GU10 220-240V AC ;	> 80	60°	Yellow Warm White Pure White Cold White	5 x 0.6w 2835 LEDs	∅ 50 X 54	internal Alu.+ External ABS-- mainly from Egg Shell	3W 250-300 lm
	HS-SL-5x 1w 2835-ABS- 5w	GU10/MR16 85-265V AC ; 12V AC DC	> 80	60°	Yellow Warm White Pure White Cold White	5 x 1w 2835 LEDs	∅ 50 X 54	internal Alu.+ External ABS-- mainly from Egg Shell	5W 400-450 lm
	HS-SL-7smd 0.6w 2835-ABS- 5w	GU10 220-240V AC ;	> 80	60°	Yellow Warm White Pure White Cold White	7 x 0.6w 2835 LEDs	∅ 50 X 54	internal Alu.+ External ABS-- mainly from Egg Shell	5W 400-450 lm
	HS-SL-25smd 0.2w 2835-ABS- 5w	GU10 220-240V AC ;	> 80	120°	Yellow Warm White Pure White Cold White	25 x 0.2w 2835 LEDs	∅ 50 X 54	internal Alu.+ External ABS-- mainly from Egg Shell	5W 400-450 lm

	HS-SL-GU10 Similar COB- 5W- 8*0.6WSMD2 835	GU10 220-240V AC ;	>80	60°	Yellow Warm White Pure White Cold White	8x 0.6W 2835 Epistar LEDs	∅ 50 X 54	internal Alu.+ External ABS-- mainly from Egg Shell	5W, 350- 400 lm
	HS-SL-GU10 COB- 5W- 220- 240V	GU10 220-240V AC ;	>80	60°	Yellow Warm White Pure White Cold White	5W COB Epistar LEDs	∅ 50 X 54	internal Alu.+ External ABS-- mainly from Egg Shell	5W, 350- 400 lm
	HS-SL-GU10 COB- 5W -85-265V	GU10 85-265V AC ;	>80	60°	Yellow Warm White Pure White Cold White	5W COB Epistar LEDs	∅ 50 X 54	internal Alu.+ External ABS-- mainly from Egg Shell	5W, 400- 450 lm
	HS-SL-GU10 COB- 5W	GU10 85-265V AC ;	>80	38° 60°	Warm White 2800-3200K Pure White 4000-4500K Cold White 6000-7000K	5W COB Epistar LEDs	∅ 50 X 54	internal Alu.+ External ABS-- mainly from Egg Shell	5W, 400-450 lm
	HS-SL-GU10 COB- 7W	GU10 85-265V AC ;	>80	38° 60°	Yellow Warm White Pure White Cold White	7W COB Epistar LEDs	∅ 50 X 54	internal Alu.+ External ABS-- mainly from Egg Shell	7W, 580- 600 lm
	HS-SL-GU10 COB- 5W -Alu	GU10 85-265V AC ;	>80	60°	Yellow Warm White Pure White Cold White	5W COB Epistar LEDs	∅ 50 X 54	internal Alu.+ External ABS-- mainly from Egg Shell	5W, 400-450 lm
	HS-SL-GU10 COB- 5W -Abs	GU10 85-265V AC ;	>80	60°	Yellow Warm White Pure White Cold White	5W COB Epistar LEDs	∅ 50 X 54	internal Alu.+ External ABS-- mainly from Egg Shell	5W, 400-450 lm
	HS-SL- 9SMD2835	GU10/MR16/ E1 4/B22 220-240V AC ; 12V AC DC	> 80	240°	Yellow Warm White Pure White Cold White	9 x 2835 Epistar LEDs	∅ 50 X 54	Glass body+ Glass cover	3W, 250-280 lm
	HS-SL- 9SMD2835	GU10/MR16/ E1 4/B22 220-240V AC ; 12V AC DC	> 80	240°	Yellow Warm White Pure White Cold White	9 x 2835 Epistar LEDs	∅ 50 X 54	Glass body+ Glass cover	4.5W, 300-350lm

	HS-SL-18SMD2835	GU10/MR16/ E1 4/B22 220-240V AC ; 12V AC DC	> 80	120°	Yellow Warm White Pure White Cold White	18 x 2835 Epistar LEDs	∅ 50 X 54	Glass body+ Glass cover	3W, 250-280 lm
	HS-SL-21SMD2835	GU10/MR16/ E1 4/B22 220-240V AC ; 12V AC DC	> 80	120°	Yellow Warm White Pure White Cold White	21 x 2835 Epistar LEDs	∅ 50 X 54	Glass body+ Glass cover	3.5W, 300-320lm
	HS-SL-24SMD2835	GU10/MR16/ E1 4/B22 220-240V AC ; 12V AC DC	> 80	120°	Yellow Warm White Pure White Cold White	24 x 2835 Epistar LEDs	∅ 50 X 54	Glass body+ Glass cover	4W, 350-380 lm
	HS-SL-21SMD5050-GLA	GU10/MR16/ E1 4/B22 220-240V AC ; 12V AC DC	> 80	120°	Yellow Warm White Pure White Cold White	21 x 5050 Epistar LEDs	∅ 50 X 54	Glass body+ Glass cover	4.5W, 350-400 lm
	HS-SL-24SMD5050-ALU	GU10/MR16/ E1 4/B22 220-240V AC ; 12V AC DC	> 80	120°	Yellow Warm White Pure White Cold White	24 x 5050 Epistar LEDs	∅ 50 X 54	Alu body+ Glass cover	5W, 380-420 lm
	HS-SL-27SMD5050-ALU	GU10/MR16/ E1 4/B22 220-240V AC ; 12V AC DC	> 80	120°	Yellow Warm White Pure White Cold White	27 x 5050 Epistar LEDs	∅ 50 X 54	Alu body+ Glass cover	5.5W, 450-500 lm
	HS-SL-5W-COB	GU10/MR16/ E1 4/E27 220-240V AC ;	> 80	60 120°	Yellow Warm White Pure White Cold White	5W COB Epistar LEDs	∅ 50 X 59	Alu body+ Glass cover	5W, 400lm
	HS-SL-7W-COB	GU10/MR16/ E1 4/E27 85-265V AC ;	> 80	60 120°	Yellow Warm White Pure White Cold White	7W COB Epistar LEDs	∅ 50 X 59	Alu body+ Glass cover	7W, 600lm
	HS-SL-9W-COB	GU10/MR16/ E1 4/E27 85-265V AC ;	> 80	60 120°	Yellow Warm White Pure White Cold White	9W COB Epistar LEDs	∅ 50 X 59	Alu body+ Glass cover	9W, 800lm
	HS-SL-5W-COB-A	GU10/MR16/ E1 4/E27 85-265V AC ;	> 80	60 120°	Yellow Warm White Pure White Cold White	5W COB Epistar LEDs	∅ 50 X 59	Alu body+ Glass cover	5W, 400lm

	HS-SL-9W-COB-A	GU10/MR16/ E1 4/E27 85-265V AC ;	> 80	60 120°	Yellow Warm White Pure White Cold White	9W COB Epistar LEDs	∅ 50 X 59	Alu body+ Glass cover	9W, 800lm
	HS-SL-PAR20-9W	E27 85-265V AC ;	> 80	45°	Yellow Warm White Pure White Cold White	9W- COB Epistar LEDs	PAR20	Alu body+ Fan inside	9W, 600- 700 lm
	HS-SL-PAR20-12W	E27 85-265V AC ;	> 80	45°	Yellow Warm White Pure White Cold White	12W- COB Epistar LEDs	PAR30	Alu body+ Fan inside	12W, 800-900 lm
	HS-SL-PAR20-20W	E27 85-265V AC ;	> 80	45°	Yellow Warm White Pure White Cold White	20W- COB Epistar LEDs	PAR38	Alu body+ Fan inside	20W, 1440- 1500 lm
	HS-SL-PAR20-9W-1	E27 85-265V AC ;	> 80	60°	Yellow Warm White Pure White Cold White	9W- COB Epistar LEDs	PAR20	Alu body+ Fan inside	9W, 600- 700 lm
	HS-SL-PAR20-12W-1	E27 85-265V AC ;	> 80	60°	Yellow Warm White Pure White Cold White	12W- COB Epistar LEDs	PAR30	Alu body+ Fan inside	12W, 800-900 lm
	HS-SL-PAR20-20W-1	E27 85-265V AC ;	> 80	120°	Yellow Warm White Pure White Cold White	20W- COB Epistar LEDs	PAR38	Alu body+ Fan inside	20W, 1440- 1500 lm

Remarks:

1. All spots are with RA > 80, Epistar LEDs.
2. Reliable quality for Europe and America market
3. CE, RoHS Approved
4. 2 year warranty
5. If need special input like 10-30V or dimmable version, please consult with us.